




WEEKLY HEALTH REPORT

CURRENT MORBIDITY DATA FOR THE ARMY IN THE CONTINENTAL UNITED STATES

WEEK ENDED 19 APRIL 1946



ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED
PER 1000 STRENGTH

DISEASE

INJURY

ARMY
MEDICAL
MAY 7 - 1946
LIBRARY

THIS DOCUMENT CONTAINS INFORMATION
AFFECTING THE NATIONAL DEFENSE OF THE
UNITED STATES WITHIN THE MEANING OF THE
ESPIONAGE ACT, 50 U. S. C., 31 AND 32, AS
AMENDED. ITS TRANSMISSION OR THE REVELA-
TION OF ITS CONTENTS IN ANY MANNER TO AN
UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

WEEKLY HEALTH REPORT

CONTENTS

DATA FOR WEEK ENDED 19 APRIL 1946

	PAGE
NATURE OF THE DATA	2
COMMENT ON CURRENT TRENDS	5
SUMMARY FOR TOTAL UNITED STATES AND SERVICE COMMANDS	11
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS)	
HAVING A STRENGTH OF 5000 OR OVER	14
STATIONS WITH HIGHEST MORBIDITY RATES	19
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST.	20

WEEKLY HEALTH REPORT

NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, WD AGO 8-122, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (!).

MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatisms (i.e., morbid conditions due to external causes, including poisons taken internally; results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The proportion of the average daily strength of the command which is confined to hospital or quarters (including patients evacuated from overseas) is given in the "Year-to-date" section of the summary table. The mean number of noneffectives per thousand strength shown in the weekly section of the summary table includes only patients admitted to hospital or quarters from activities in the Continental United States; these figures, therefore, are noneffective rates for troops stationed in the United States.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casualties, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

MORTALITY DATA

Recent studies indicate that the reporting of deaths on WD AGO 8-122 is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 10 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.

EXPLANATORY MATTER

In reading the detail tables, it should be born in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.

Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (E) is placed after the name of the station.

MORBIDITY FROM ——— ALL CAUSES ————— INJURY ONLY

CONTINENTAL UNITED STATES



RESTRICTED


OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

MORBIDITY FROM ————— DISEASE

RESTRICTED

————— COLDS INFLUENZA ETC.

CONTINENTAL UNITED STATES



RESTRICTED

COMMENT ON CURRENT TRENDS

MORBIDITY FROM: All Causes: (See chart on Page 3.)

Morbidity from all causes during the week ended 19 April decreased slightly, being reported at 588 admissions per 1000 troops per annum, as compared with 602 such admissions during the preceding week.

Injury: (See chart on Page 3.)

Injury admissions decreased from 36 per 1000 troops per annum in the week ended 12 April to 35 per 1000 in the current week. Highest rate was that reported from the Sixth Service Command (47 per 1000), ranging down to 18 per 1000 in the Military District of Washington.

Diseases:

(See chart on opposite page.)

Morbidity from all diseases in the United States as a whole during the week decreased from 566 to 553 admissions per 1000 troops per annum. Except for a comparatively sharp increase in the Fifth Service Command (432 to 542 admissions per 1000 troops per annum), service command rates remained substantially unchanged.

Respiratory Diseases:

(See charts on opposite page and Pages 6 and 7.)

The rate for colds, influenza, etc. decreased during the week from 126 per 1000 to 110 per 1000. Morbidity from these causes continued highest in the Third Service Command.

Admissions for all forms of pneumonia fell from 16 per 1000 troops per annum to 14. Highest morbidity (23 admissions per 1000 troops per annum) was reported from the Fourth Service Command; rates ranged downward to 7 per 1000 (only 5 cases) in the First Service Command. Rates for pneumonias other than primary atypical increased during the week from 4.4 to 5.2 per 1000 troops per annum. In the corresponding period of last year, this rate was 3.6 and 2.9 per 1000, while it moved from 6.1 to 5.8 in these weeks of 1944.

Venereal Diseases:

Admissions for "new not-EPTS" venereal diseases decreased during the week, from 86 to 82 per 1000 troops per annum.

Other Communicable Diseases:

Morbidity from diarrhea and dysentery was reported at 2 admissions per 1000 troops per annum.

Rates for scarlet fever continued high; the current week's rate of 12.3 per 1000 represents a decrease of about 2 per cent under that reported in the previous week.

The rate for rheumatic fever reached 4.2 admissions per 1000 troops per annum during the current week.

Admissions for streptococcal sore throat increased during the week from 3.2 to 3.6 per 1000 troops per annum.

MORBIDITY AT TRAINING CENTERS: (See table on Page 13.)


It has long been recognized that most respiratory diseases, common contagious diseases, and streptococcal infections present a more serious problem among men coming into the Army than among troops with comparatively long service. The table on page 13 furnishes a rough measure of this difference, since it shows morbidity at stations at which training centers for recruits are located. Separate totals for all stations having training centers and for stations at which no training centers are located are presented; in addition, totals are shown separately for training centers of the Air Forces, Ground Forces, and Service Forces.

VARIATIONS BY SERVICE COMMAND


MORBIDITY FROM

— ALL CAUSES

— COLDS, INFLUENZA, ETC.



VARIATIONS BY SERVICE COMMAND (CONT.)



COMMENT ON CURRENT TRENDS (CONT.)

It should be noted that a distinction cannot be made, on the basis of the Statistical Health Report, between those troops at a given station who are undergoing basic training and those who are engaged in other activities. Data must be shown for all troops at stations at which training centers are located; these data, therefore, cannot be said to measure morbidity among trainees alone.

The admission rate for diseases at stations having training centers exceeded that at other stations by about a third; this rate, however, decreased during the week by about 8 per cent at stations having training centers, and remained relatively unchanged at other stations.

Morbidity from colds, influenza, etc., at stations having training centers, while still three times that at other stations, moved downward during the week from 231 to 181 admissions per 1000 troops per annum. Rates at ASFTC's continued higher than those at Air Force and Ground Force centers.

Admissions for pneumonia at training center stations as a whole decreased from 32 to 27 per 1000 troops per annum, contrasting with the rate of 8 at other stations; AAFBTC's continued to show highest morbidity. However, the rate at Air Forces centers increased from 51 to 79 admissions per 1000 troops.

Morbidity from scarlet fever at stations having training centers showed little change (31 compared with 32 admissions per 1000 troops per annum). The rate for rheumatic fever increased during the week (7 to 9 admissions per 1000 troops per annum) at stations having training centers.

The venereal disease admission rate at training center stations as a whole continued lower than that for other stations. (High venereal disease rates at ASFTC's are accounted for in large measure by the larger ratio of colored to white troops at these stations than at others.)

NONEFFECTIVE RATE: (See chart on Page 9.)

The noneffective rate for personnel stationed in the continental United States is estimated at 40.9 per 1000 troops for the week ended 19 April as compared with 33.9 per 1000 for the corresponding week of 1945.

PATIENTS REMAINING UNDER TREATMENT: 19 APRIL 1946:

(See chart on Page 9.)

The number of patients remaining in hospital in the Zone of Interior, including patients transferred from overseas, decreased during the week to 92,792 as compared with 96,142 at the end of the previous week.

The number of neuropsychiatric cases remaining was 6350 or about 250 less than at the end of the previous week. Nonbattle injury patients remaining numbered about 17,400. Battle wounded remaining decreased by about 900 to 21,292.


CERTIFICATES OF DISABILITY FOR DISCHARGE:

(See chart on Page 10.)

In the week ended 19 April there were 2005 enlisted personnel discharged by CDD (about 100 more than the previous week). These discharges included 89 accomplished at Air Force medical activities. Among them were 481 neuropsychiatric cases, about 100 more than were separated by this method last week.


NONEFFECTIVE RATE

CONTINENTAL UNITED STATES



PATIENTS REMAINING IN HOSPITAL

CONTINENTAL UNITED STATES



CERTIFICATES OF DISABILITY FOR DISCHARGE

CONTINENTAL UNITED STATES



WEEKLY HEALTH REPORT

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

RESTRICTED

SERVICE COMMAND	MEAN STRENGTH	A D M I S S I O N S															MEAN NUMBER OF NONEFFECTIVES PER 1000*STRENGTH	
		ANNUAL RATE PER 1000 STRENGTH							ANNUAL CASE RATE PER 1000 STRENGTH									
		ALL CAUSES		DISEASE		INJURY			COLDS, INFLU- ENZA, ETC.*		PNEUMONIA (INCL. ATYPICAL)		DIARRHEA AND DYSENTERY		VENEREAL (EXCL. EPTI)			
C U R R E N T W E E K C O M P A R E D W I T H P R E V I O U S W E E K																		
	Current week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week*
TOTAL UNITED STATES	1281039	1314009	588	602	553	566	35	36	110	126	14	16	2	3	'82.	86	41	42
FIRST SERVICE COMMAND	36031	36891	489	583	463	536	26	47	88	87	7?	4?	0	4?	29	30	45	46
SECOND SERVICE COMMAND	122261	122457	617	680	588	650	29	30	67	90	9	8	2?	5	73	68	44	44
THIRD SERVICE COMMAND	133069	141061	792	806	758	776	34	30	198	244	19	29	1?	2?	95	128	43	43
MIL. DIST. OF WASHINGTON	46089	46627	545	578	527	553	18	25	139	163	9	21	1?	0	54	60	45	47
FOURTH SERVICE COMMAND	244832	258517	528	544	486	502	42	42	61	62	23	20	2	2	149	139	40	40
FIFTH SERVICE COMMAND	102296	104200	583	464	542	432	41	32	107	88	9	10	5	3	54	61	38	38
SIXTH SERVICE COMMAND	85042	80241	495	499	448	459	47	40	105	113	11	10	2?	2?	60	58	33	37
SEVENTH SERVICE COMMAND	91172	96324	593	592	570	565	23	27	141	155	9	15	0	2?	55	53	42	41
EIGHTH SERVICE COMMAND	231510	228293	579	630	544	591	35	39	139	158	15	22	2	2	57	64	39	42
NINTH SERVICE COMMAND	188737	199398	590	578	553	539	37	39	90	117	9	9	4	4	79	81	44	44
C U R R E N T Y E A R T O D A T E C O M P A R E D W I T H C O R R E S P O N D I N G P E R I O D P R E V I O U S Y E A R																		
	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year*
TOTAL UNITED STATES	1443072	2882976	630	645	599	594	31	51	170	165	17	13	3	7	74	60	60	79
FIRST SERVICE COMMAND	55168	79683	545	695	518	647	27	48	137	162	10	8	6	7	36	53	139	117
SECOND SERVICE COMMAND	154784	182502	650	696	625	652	25	44	139	163	13	11	6	6	63	51	100	107
THIRD SERVICE COMMAND	165427	183494	793	699	766	659	27	40	263	166	20	13	2	6	103	62	67	90
MIL. DIST. OF WASHINGTON	48239	51617	781	642	755	601	26	41	306	182	29	8	2	6	41	21	78	71
FOURTH SERVICE COMMAND	330003	704226	562	629	530	571	32	58	120	141	21	15	2	7	112	47	68	69
FIFTH SERVICE COMMAND	119685	135996	579	672	551	627	28	45	119	208	12	15	3	6	64	50	104	170
SIXTH SERVICE COMMAND	99619	102992	560	678	532	642	28	36	120	187	17	20	3	5	53	49	120	127
SEVENTH SERVICE COMMAND	133940	265793	730	597	706	557	24	40	252	149	18	10	4	5	58	41	81	78
EIGHTH SERVICE COMMAND	268794	705440	633	646	598	590	35	56	209	192	18	17	2	8	64	37	68	56
NINTH SERVICE COMMAND	267413	471233	586	629	548	577	38	52	136	152	11	9	4	6	60	37	68	72

FORM 96-3968 REVISED 13 NOVEMBER 1943

RESTRICTED

**DOES NOT INCLUDE EVACUEES.

***INCLUDES EVACUEES.

*Includes Acute Catarrhal Bronchitis, Acute Coryza,
Acute Catarrhal Pharyngitis, Acute Catarrhal Naso-
pharyngitis and Acute Catarrhal Laryngitis.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 16
WEEK ENDING 19 April 1946

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

SERVICE COMMAND	MEAN STRENGTH*	A D M I S S I O N S NUMBER OF CASES												NUMBER OF DEATHS				NUMBER OF DISPOSITIONS BY CDD
		MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	STREPTO- COCCAL SORE THROAT	SCABIES	ALL CAUSES	DISEASE	INJURY	BATTLE CASUALTY	
									IN USA	OUT OF USA								
C U R R E N T W E E K																		
TOTAL UNITED STATES	1281039	173	221	304	13	105	207	92	6	190	61	91	218	55	28	26	1	2005
FIRST SERVICE COMMAND	36031	2	2	3			3	3		4	3		3	4	4			90
SECOND SERVICE COMMAND	122261	16	7	6		5	15	46	5	6	13	16	35	5	2	3		298
THIRD SERVICE COMMAND	133069	25	25	100	3	10	38	8		23	7	13	45	3	1	2		150
MIL. DIST. OF WASHINGTON	46089	3	6	13	1	16	5	1	1	4		1	6	6	2	4		59
FOURTH SERVICE COMMAND	244832	13	24	30	2	16	75	6		29	4	4	28	6	4	2		317
FIFTH SERVICE COMMAND	102296	12	10	22		2	9	4		20	4	4	7	5	1	4		202
SIXTH SERVICE COMMAND	85042	5	6	14		5	3	4		7	5	3	9	8	3	5		223
SEVENTH SERVICE COMMAND	91172	10	31	35	1	24	6	5		7	9	30	16	1	1			144
EIGHTH SERVICE COMMAND	231510	41	58	33	4	17	40	9		53	9	15	39	10	6	4		250
NINTH SERVICE COMMAND	188737	46	52	48	2	10	13	6		37	7	5	30	7	4	2	1	272
P R E V I O U S W E E K																		
TOTAL UNITED STATES	1314009	215	308	317	13	104	302	76	12	211	73	80	232	38	16	20	2	1922
FIRST SERVICE COMMAND	36891	1	4	2		2	2	3	1	9		1	3	1		1		84
SECOND SERVICE COMMAND	122457	13	9	7		10	12	14	9	16	6	3	37	5	2	3		328
THIRD SERVICE COMMAND	141061	32	34	76	3	21	74	9		16	14	12	43	4	1	3		138
MIL. DIST. OF WASHINGTON	46627	6	21	21		7	8	2	2	1			7	3	3			41
FOURTH SERVICE COMMAND	258517	38	29	26	5	8	79	12		20	10	4	14	7	3	3	1	305
FIFTH SERVICE COMMAND	104200	4	12	25			9	8		14	5	3	8	1			1	204
SIXTH SERVICE COMMAND	80241	6	6	17		2	12	11		14	9	1	9					171
SEVENTH SERVICE COMMAND	96324	18	32	68	1	20	24			16	10	38	14	6	2	4		116
EIGHTH SERVICE COMMAND	228293	54	95	31	1	29	69	14		53	12	10	54	5	2	3		270
NINTH SERVICE COMMAND	199398	43	66	44	3	5	13	3		52	7	8	43	6	3	3		265

SUMMARY OF TRAINING CENTERS

[illegible]

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED GASES (I.E. GASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
FIRST SERVICE COMMAND	36031	489	463	26	88	77		29	2	2	3			3	3	4	4		90
Devens, Ft., Mass. 1/	16231	500	497	3?	61	3?		26			1			1	2				
Westover Field, Mass.	5785	459	396	63	171	9?		54	1					1					
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	14015	490	453	37	85	11?		22	1	2	2			1	1	4	4		90
SECOND SERVICE COMMAND	122261	617	588	29	67	9	2?	73	16	7	6		5	15	46	5	2	3	298
Dix, Ft., N. J. 1/	50621	601	598	3?	43	5?		50	8	1	1			5	1				6
Kilmer, Cp., N. J.	22535	607	595	12?	30	5?		115		1	2			2					1
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	49105	639	575	64	109	15	5?	77	8	5	3		5	8	45	5	2	3	291
THIRD SERVICE COMMAND	133069	792	758	34	198	19	1?	95	25	25	100	3	10	38	8	3	1	2	150
Aberdeen Prov. Grd., Md. 1/	23818	1042	983	59	504	24		59	7	7	33		4	11					
Eustis, Ft., Va. 1/	13063	1186	1154	32	267	32		187	7	7	3		1	8	2				
Geo. G. Meade, Ft., Md. (RH) 1/	21325	683	683		44	15	2?	161	1	1				2	4				14
Lee, Cp., Va. (RH) 1/	36843	719	713	6?	147	25		58	9	9	56	3	3	15	1				22
Pickett, Cp., Va.	9871	606	548	58	121			163							1				10
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	28149	644	576	68	118	9?	2?	59	1	1	8		2	2		3	1	2	104

RESTRICTED

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S															NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES							ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M*COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS					
MILITARY DISTRICT OF WASH.	46089	545	527	18	139	9	1?	54	3	6	13	1	16	5	1	6	2	4	59	
Belvoir, Ft., Va. (RH) 1/	19267	548	532	16	181	13?		84	1	4	13	1	14	2	1				4	
Washington Gen. Disp., D. C.	7366	409	388	21?	162			14?												
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	19456	594	575	19	88	8?	3?	40	2	2			2	3		6	2	4	55	
FOURTH SERVICE COMMAND	244832	528	486	42	61	23	2	149	13	24	30	2	16	75	6	6	4	2	317	
Benning, Ft., Ga.	23574	853	807	46	73	7?	2?	353					1	1	1				6	
Bragg, Ft., N. C. 3/ 4/	37597	470	440	30	47	6?		87	3		2		6	4	1	3	1	2	12	
Greensboro AAFORD, N.C.	15690	408	378	30	83	10?		152		1	2			2	1	1	1		3	
Jackson, Ft., S.C.	24727	511	496	15		2?	6?	278						1					2	
Keesler, Field, Miss. (RH) 2/	23203	470	421	49	215	90		18	7	6	9		2	17	1				21	
McClellan, Ft., Ala. 3/	27744	551	506	45	73	77	6?	52		7	17	2	3	38					12	
McPherson, Ft., Ga. 4/	13271	455	443	12?	35	20?		137	1	2				5						
Shelby, Co., Miss. 4/	10909	801	768	33	38	14?		477		1				3					2	
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	63117	462	400	62	33	5	2?	100	2	7			4	4	2	2	2		259	

FORM SG-945 11 DEC. 1944

RESTRICTED

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

** SEE NATURE OF THE DATA, PAGE 2.

- 1/ ARMY SERVICE FORCES TRAINING CENTER.
- 2/ ARMY AIR FORCES BASIC TRAINING CENTER.
- 3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.
- 4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S															NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY COD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES							ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M*COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS					
FIFTH SERVICE COMMAND	102296	583	542	41	107	9	5	54	12	10	22		2	9	4	5	1	4	202	
Atterbury, Cp., Ind. 4/	27066	542	536	6?	38			29		1			1							
Campbell, Cp., Ky.	21713	417	345	72	7?	5?		57	1					1		2		2	2	
Dayton, Ohio, AAF, Tech. Base (RH)	9562	381	332	49	44			76											1	
Knox, Ft., Ky. 3/	23072	891	839	52	345	29	18	54	10	7	20			6	2	1		1	5	
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	20833	563	526	37	65	5?	5?	75	1	2	2		1	2	2	2	1	1	194	
SIXTH SERVICE COMMAND	85042	495	448	47	105	11	2?	60	5	6	14		5	3	4	8	3	5	223	
Chanute Field, Ill. (RH)	9932	623	555	68	241	10?		94	2	1	5		1						5	
McCoy, Cp., Wis.	7937	787	780	7?	66	20?		92					1	3	1				7	
Scott Field, Ill. (RH)	20453	554	475	79	198	13?		48	1	2	5					2		2	2	
Sheridan, Ft., Ill. (RH) 4/	24298	359	340	19	21	11?	4?	60	1	2	2								3	
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	22422	429	376	53	65	7?	2?	44	1	1	2		3		3	6	3	3	206	

FORM SG-945 11 DEC. 1944

RESTRICTED

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.
4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES										
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	
SEVENTH SERVICE COMMAND	91172	593	570	23	141	9		55	10	31	35	1	24	6	5	1	1		144
Crowder, Cp., Mo. (RH) 1/	23698	632	621	11?	257	26		29		16	24	1	20	2	3				6
Jefferson Bks., Mo. 4/	6585	490	458	32?	16?			55		2									1
Leavenworth, Ft., Kans. 4/	12291	597	597		38	17?		110	2	1				4					5
Lowry Field, Colo.	6243	317	292	25?	133			17?		2			1						
Snelling, Ft., Minn. 4/	5046	279	258	21?	52?			31?		3									1
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	37309	676	638	38	137			64	8	7	11		3		2	1	1		131
EIGHTH SERVICE COMMAND	231510	579	544	35	139	15	2	57	41	58	33	4	17	40	9	10	6	4	250
Amarillo AAF, Texas	5836	1042	980	62	481	27?		27?				2							
Bliss, Ft., Texas 3/ 4/	16161	711	692	19	225	16?	6?	71	4	4	3		2	3					
Chaffee, Cp., Ark. 4/	10825	418	394	24?	34	19?	5?	43						3	1				3
Hood, Cp., Texas	16880	595	536	59	74			80		3	4					2		2	4
Jos. T. Robinson, Cp., Ark. (RH) 3/	15563	652	578	74	264	13?		33	6	5			3	3	1				1
New Orleans PoE, La. 1/	8466	535	504	31?	160	25?		135	2	1	3	2		4					3
Polk, Cp., La. 1/	17173	772	733	39	257			27	12	7	5					2	2		1
Sam Houston, Ft., Tex. 1/ 4/	27169	532	513	19	46	4?	2?	77	2	2					1				
San Antonio AAF, Texas (RH)	25242	583	581	2?	210	8?		37	6	11	9			3		1	1		15
Sheppard Field, Texas (RH) 2/	22887	599	579	20	157	68	7?	41	4	13	6		8	22		1	1		12
Sill, Ft., Okla.	8256	309	296	13?	44			32?		1					1				
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	57052	499	448	51	67	8	1?	66	5	11	3		4	2	5	4	2	2	211

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

1/ ARMY SERVICE FORCES TRAINING CENTER.
2/ ARMY AIR FORCES BASIC TRAINING CENTER. 4/ PERSONNEL CENTER.
3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

18

WEEKLY HEALTH REPORT

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

STATIONS WITH STRENGTH OF 5000 OR OVER

RESTRICTED

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			SCARLET FEVER ANNUAL ADMISSION RATE PER 1000		
Stoneman, Cp., Calif.	1344	586	Stoneman, Cp., Calif.	1271	551	Lee, Cp., Va. 1/	79	61
Eustis, Ft., Va. 1/	1186	1318	Eustis, Ft., Va. 1/	1154	1275	Aberdeen Prov. Grd., Md. 1/	72	60
Aberdeen Prov. Grd., Md. 1/	1042	1204	Aberdeen Prov. Grd., Md. 1/	983	1176	Crowder, Cp., Mo. 1/	53	82
Amarillo AAF, Texas	1042	693	Amarillo AAF, Texas	980	670	Knox, Ft., Ky. 3/	45	55
Knox, Ft., Ky. 3/	891	803	Knox, Ft., Ky. 3/	839	742	Lewis, Ft., Washington 1/ 4/	45	46
Benning, Ft., Ga.	853	866	Benning, Ft., Ga.	807	795	Belvoir, Ft., Va. 1/	35	49
Shelby, Cp., Miss. 4/	801	586	McCoy, Cp., Wis. 4/	780	793	McClellan, Ft., Ala. 3/	32	29
COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			MEASLES ANNUAL ADMISSION RATE PER 1000		
Aberdeen Prov. Grd., Md. 1/	504	661	Keesler, Field, Miss. 2/	90	27	Polk, Cp., La. 1/	36	27
Amarillo AAF, Texas	481	375	McClellan, Ft., Ala.	77	102	Lewis, Ft., Wash. 1/ 4/	32	35
Knox, Ft., Ky. 3/	345	282	Sheppard Field, Texas	68	75	Eustis, Ft., Va. 1/	28	43
Eustis, Ft., Va. 1/	267	434	Eustis, Ft., Va. 1/	32	26	Knox, Ft., Ky. 3/	23	2?
Jos. T. Robinson, Cp., Ark. 3/	264	638	Knox, Ft., Ky.	29	36	Jos. T. Robinson, Cp., Ark. 3/	20	26
Crowder, Cp., Mo. 1/	257	330	Crowder, Cp., Mo.	26	34	Keesler Field, Miss.	16	21
Polk, Cp., La. 1/	257	239	Lee, Cp., Va.	25	65	Aberdeen Prov., Grd., Md. 1/	15	9?
VENEREAL (EXCLUDING EPTI) ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000					
Shelby, Cp., Miss. 4/	477	337	Scott Field, Ill.	79	57			
Benning, Ft., Ga.	353	371	Jos. T. Robinson, Cp., Ark. 3/	74	87			
Jackson, Ft., S. C.	278	265	Stoneman, Cp., Calif.	73	35			
Stoneman, Cp., Calif.	267	158	Campbell, Cp., Ky.	72	17			
Eustis, Ft., Va. 1/	187	178	Chanute Field, Ill.	68	66			
Kearns, AAFORD, Utah	168	176	Westover Field, Mass.	63	47?			
Pickett, Cp., Va.	163	184	Amarillo AAF, Texas	62	23?			

FORM SG-396E, Rev. 24 April 1946

RESTRICTED

*Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis and Acute Catarrhal Laryngitis.

**Figures in parentheses are rates for atypical pneumonia only.

- 1/ ARMY SERVICE FORCES TRAINING CENTER.
2/ ARMY AIR FORCES BASIC TRAINING CENTER.
3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.

4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 16
WEEK ENDING 19 April 1946

LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

<p><u>POLIOMYELITIS (1)</u></p> <p>1-Clevis AAF, N. Mex.</p>	<p><u>DIPHTHERIA (7)</u></p> <p>1-Lovell GH, Mass. 1-Halloran GH, N. Y. 2-Kilmer, Cp., N. J. 1-George G. Meade, Ft., Md. 1-O'Reilly GH, Mo. 1-Pasadena, Calif. (RH)</p>	<p><u>AMEBIC DYSENTERY (12)</u></p> <p>1-Devens, Ft., Mass. 1-Indiantown Gap, Pa. 2-McPherson, Ft., Ga. 1-Benjamin Harrison, Ft., Ind. 1-Gardener GH, Ill. 1-Sheridan, Ft., Ill. 2-Jefferson Hqs., Mo. 2-Sam Houston, Ft., Texas 1-Beale, Cp., Calif.</p>	<p><u>SCABIES (94)</u></p> <p>30-Dix, Ft., N. J. 32-Eustis, Ft., Va. 32-Sam Houston, Ft., Texas <u>TREATED AS OUT-PATIENTS</u> 536-Dix, Ft., N. J. 1236-Kilmer, Cp., N. J.</p>	<p><u>UNDULANT FEVER (2)</u></p> <p>2-Halloran GH, N. Y.</p>	<p>LISTING LIMITED TO STATIONS REPORTING 10 OR MORE CASES</p> <p><u>STREPTOCOCCAL SORE THROAT</u></p> <p>27-Buckley Field, Colo.</p>
<p>(2)</p> <p><u>ROCKY MOUNTAIN SPOTTED FEVER</u></p> <p>1-Bragg, Ft., N. C. 1-O'Reilly GH, Mo</p>	<p><u>CHORIO-MENINGITIS (1)</u></p> <p>1-Waltham, Mass (RH)</p>				<p><u>GERMAN MEASLES</u></p> <p>14-Aberdeen Prov. Grd., Md. 18-Eustis, Ft., Va. 22-Lee, Cp., Va. 30-McClellan, Ft., Ala. 15-Knox, Ft., Ky. 25-Crowder, Cp., Mo. 10-Brooke GH, Texas Ark. 12-Joseph T. Robinson, Cp., 12-Sheppard Field, Texas 40-Lewis, Ft., Washington</p>
<p>STATIONS WHERE SULFONAMIDE PROPHYLAXIS OF RESPIRATORY DISEASE IS BEING EMPLOYED IN SOME OR ALL OF UNITS</p> <p>Crowder, Cp., Mo.</p>					<p><u>M'COCCIC MENINGITIS AT GENERAL HOSPITALS AND STATIONS UNDER 5000 STRENGTH</u></p>